Contents

Albus, H., Lippens, F., Siegenbeek van Heukelom, J.
Sodium-dependent sugar and amino acid transport in isolated goldfish intestinal epithelium: electrophysiological evidence against direct interactions at the carrier level 10

Albus, H., Bakker, R., Siegenbeek van Heukelom, J.
Circuit analysis of membrane potentials changes due to electrogenic sodium-dependent sugar transport in goldfish intestinal epithelium 1

Allen, D. G., see Cannell, M. B. 165

Amorena, C., Malnic, G.
Peritubular buffering power and luminal acidification in proximal convoluted tubules of the rat 331

Bakker, R., see Albus, H., et al. 1

Bankir, L., see Eloy, L., et al. 253

Bayle, F., see Eloy, L., et al. 253

Beliveau, R., Brunette, M. G., Strevey, J.
Characterization of phosphate binding by alkaline phosphatase in rat kidney brush border membrane 227

Bencsáth, P., Kottra, G., Takács, L.
Intratubular and peritubular capillary hydrostatic and oncotic pressures after chronic renal sympathectomy in the anaesthetized rat 60

Bershadsky, B. G., see Tsyrlin, V. A., et al. 81

Biber, J., Malmström, K., Scalera, V., Murer, H.
Phosphorylation of rat kidney proximal tubular brush border membranes. Role of c-AMP dependent protein phosphorylation in the regulation of phosphate transport 221

Bijman, J., Cook, D. I., Os, C. H. van
Effect of amiloride on electrolyte transport parameters of the main duct of the rabbit mandibular salivary gland 96

Blumberg, H., Haupt, P., Jänig, W., Kohler, W.
Encoding of visceral noxious stimuli in the discharge patterns of visceral afferent fibres from the colon 33

Boyett, M. R., see Kentish, J. C. 233

Bravkov, M. F., see Tsyrlin, V. A., et al. 81

Brezis, M., Wald, H., Shilo, R., Popovtzer, M. M.
Blockade of the renal tubular effects of vitamin D by cycloheximide in the rat 247

Bromm, B., see Schwarz, J. R., et al. 126

Brugge, K. L., see O'Doherty, J., et al. 241

Brum, G., Flockerzi, V., Hofmann, F., Osterrieder, W., Trautwein, W.
Injection of catalytic subunit of cAMP-dependent protein kinase into isolated cardiac myocytes 147

Brunette, M. G., see Beliveau, R., et al. 227

Bünger, R., see Kuschinsky, W., et al. 134

Camus, J.-C., see Robberecht, P., et al. 217

Cannell, M. B., Allen, D. G.
A photomultiplier tube assembly for the detection of low light levels 165

Cavalié, A., Ochi, R., Pelzer, D., Trautwein, W.
Elementary currents through Ca^{2+} channels in Guinea pig myocytes 284

Christophe, J., see Robberecht, P., et al.

Cook, D. I., see Bijman, J., et al. 96

Crane, S. J., see O'Doherty, J., et al. 241

Dagher, G., see De Mendonça, M., et al. 64

Deetjen, P., see Oberleithner, H., et al. 18

De Mendonça, M., Grichois, M. L., Dagher, G., Garay, R., Meyer, P.
Modulation of Na^+ transport systems in Wistar rat erythrocytes by excess dietary Na^+ intake 64

De Neef, K. J., Versprille, A., Wise, M. E., Jansen, J. R. C.
Functional development of the parasympathetic innervation of the sino-auricular node in newborn rabbits, cats and guinea pigs 73

De Neef, P., see Robberecht, P., et al. 217

Derkach, V. A., see Skok, V. I., et al. 169

Doris, P. A.
Osmotic regulation of evaporative water loss and body temperature by intracranial receptors in the heat-stressed cat 337

Dudel, J.
Graded or all-or-nothing release of transmitter quanta by local depolarizations of nerve terminals on crayfish muscle? 155

Eloy, L., Grünfeld, J.-P., Bayle, F., Bankir, L., Ramos-Frendo, B., Trinh-Trang-Tan, M.-M.
Papillary plasma flow in rats. II. Hormonal control 253

Erlij, D., see Van Driessche, W. 179

Flockerzi, V., see Brum, G., et al. 147

Fontaine, J., see Robberecht, P., et al. 217

Fromm, Ch.
Changes of steady state activity in motor cortex consistent with the length-tension relation of muscle 318

Fukuda, Y.
Difference between actions of high P_{CO_2} and low $[HCO_3^-]$ on neurons in the rat medullary chemosensitive areas in vitro 324

Galvan, M., Sedlmeir, C.
An *N*-shaped current-voltage relationship in rat sympathetic neurons 78

Garay, R., see De Mendonça, M., et al. 64

Gercken, G., Trotz, M.
Fatty acid synthesis in the arrested rabbit heart during ischemia 69

Giebisch, G., see Oberleithner, H., et al. 18

Greger, R., see Oberleithner, H., et al. 18

Grichois, M. L., see De Mendonça, M., et al. 64

Grünfeld, J.-P., see Eloy, L., et al. 253

Guggino, W., see Oberleithner, H., et al. 172

Hatano, K., see Karaki, H., et al. 27

Haupt, P., see Blumberg, H., et al. 33

Haupt, P., Jänig, W., Kohler, W.
Response pattern of visceral afferent fibres, supplying the colon, upon chemical and mechanical stimuli 41

Heinemann, U., Louvel, J.
Changes in $[Ca^{2+}]_o$ and $[K^+]_o$ during repetitive electrical stimulation and during pentetrazol induced seizure activity in the sensorimotor cortex of cats 310

Hinckel, P., Schröder-Rosenstock, K.
Central short-term cold adaptation in the guinea-pig 259

Hofmann, F., see Brum, G., et al. 147

Hultman, E., Sjöholm, H., Jäderholm-Ek, I., Krynicki, J.
Evaluation of methods for electrical stimulation of human skeletal muscle in situ 139

Inomoto, T., Mercer, J. B., Simon, E.
Interaction between hypothalamic and extrahypothalamic body temperatures in the control of panting in rabbits 142

Iriki, M., see Nomoto, S., et al.

Iriki, M., Kozawa, E.
Renal sympathetic baroreflex during normoxia and during hypoxia in conscious and in anesthetized rabbits 23

Jäderholm-Ek, I., see Hultman, E., et al. 139

Jänig, W., see Blumberg, H., et al. 33

Jänig, W., see Haupt, P., et al. 41

Jansen, J. R. C., see Neef, K. J. de, et al. 73

James-Kracke, M. R., see Kao, P. N., et al. 199

Kao, C. Y., see Kao, P. N., et al. 199

Kao, P. N., James-Kracke, M. R., Kao, C. Y.
The active guanidinium group of saxitoxin and neosaxitoxin identified by the effects of pH on their activities on squid axon 199

Karaki, H., Hatano, K., Weiss, G. B.
Effects of magnesium on ^{45}Ca uptake and release at different sites in rabbit aortic smooth muscle 27

Kentish, J. C., Boyett, M. R.
A simple electronic circuit for monitoring changes in the duration of the action potential 233

Klitzner, T., Morad, M.
The effects of Ni^{2+} on ionic currents and tension generation in frog ventricular muscle 267

Klitzner, T., Morad, M.
Excitation-contraction coupling in frog ventricle. Possible Ca^{2+} transport mechanisms 274

Kohler, W., see Blumberg, H., et al. 33

Kohler, W., see Haupt, P., et al. 41

Kolb, F. P.
A simple method for reliable separation of cerebellar Purkinje cell complex and simple spikes 341

Koszawa, E., see Iriki, M. 23

Kottra, G., see Bencsáth, P., et al. 60

Kovács, T., see Pfliegler, G., et al. 236

Krynicki, J., see Hultman, E., et al. 139

Kuschinsky, W., Suda, S., Bünger, R., Yaffee, S., Sokoloff, L.
The effects of intravenous norepinephrine on the local coupling between glucose utilization and blood flow in the rat brain 134

Lang, F., see Oberleithner, H., et al. 18, 172

Leisner, E., see Schwarz, G., et al. 130

Lewandowska, K., see Pytkowski, B., et al. 103

Lewartowski, B., see Pytkowski, B., et al. 103

Lippens, F., see Albus, H., et al. 10

Lorković, H., Rüdel, R.
Influence of divalent cations on potassium contracture duration in frog muscle fibres 114

Louvel, J., see Heinemann, U. 310

Malmström, K., see Biber, J., et al. 221

Malnic, G., see Amorena, C. 331

Manzoni, D., see Pompeiano, O., et al. 298

Marshall, B. E., see Marshall, C. 93

Marshall, C., Marshall, B. E.
Characterization of the stimulus-response curve for hypoxic pulmonary vasoconstriction 93

Mercer, J. B., see Inomoto, T., et al. 142

Meyer, P., see De Mendonça, M., et al. 64

Milla, E.
Time dependent and other possible changes of the intracellular D-glucose and Na^+ concentration in the cortical tissue of rabbit kidney perfused "in vitro" 55

Morad, M., see Klitzner, T. 267, 274

Morad, M., see Tung, L. 189

Murer, H., see Biber, J., et al. 221

Nakayama, S., see Takaki, M., et al. 120

Neuman, S., see Oberleithner, H., et al. 18

Neya, T., see Takaki, M., et al. 120

Nomoto-Kozawa, E., see Nomoto, S. 262

Nomoto, S., Nomoto-Kozawa, E., Iriki, M.
Increase in oxygen consumption induced by selective spinal cord cooling in the exercising pigeon 262

Oberleithner, H., Greger, R., Neuman, S., Lang, F., Giebisch, G., Deetjen, P.
Omission of luminal potassium reduces cellular chloride in early distal tubule of amphibian kidney 18

Oberleithner, H., Ritter, M., Lang, F., Guggino, W.
Antracene-9-carboxylic acid inhibits renal chloride reabsorption 172

Ochi, R., see Cavalié, A., et al. 284

O'Doherty, J., Stark, R. J., Crane, S. J., Brugge, K. L.
Changes in cytosolic calcium during cholinergic and adrenergic stimulation of the parotid salivary gland 241

Os, C. H. van, see Bijman, J., et al. 96

Osterrieder, W., see Brum, G., et al. 147

Pagala, M., see Sterz, R., et al. 48

Patberg, W. R.
Effect of graded vagal blockade and pulmonary volume on tonic inspiratory activity in rabbits 88

Pelzer, D., see Cavalié, A., et al. 284

Peper, K., see Sterz, R., et al. 48

Pette, D., see Schwarz, G., et al. 130

Pfliegler, G., Szabó, I., Kovács, T.
The influence of catecholamines on Na, K transport in slow- and fast-twitch muscles of the rat 236

Pompeiano, O., Manzoni, D., Srivastava, U. C., Stampacchia, G.
Relation between cell size and response characteristics of medullary reticulospinal neurons to labyrinth and neck inputs 298

Popovtzer, M. M., see Brezis, M., et al. 247

Prokopczuk, A., see Pytkowski, B., et al. 103

Pytkowski, B., Lewartowski, B., Prokopczuk, A., Zdanowski, K., Lewandowska, K.
Excitation- and rest-dependent shifts of Ca in guinea-pig ventricular myocardium 103

Ramos-Frendo, B., see Eloy, L., et al. 253

Ritter, M., see Oberleithner, H., et al. 172

Robberecht, P., De Neef, P., Camus, J.-C., Waelbroeck, M., Fontaine, J., Christophe, J.
The cardiac inotropic response to secretin is lower in genetically obese (fa/fa) than in lean (fa/?) Zucker rats 217

Rüdel, R., see Lorković, H. 114

Scalera, V., see Biber, J., et al. 221

Schmidtmayer, J., Stoye-Herzog, M., Ulbricht, W.
Combined action of intraaxonal iodate and external sea anemone toxin ATX II on sodium channel inactivation of frog nerve fibres 204

Schröder-Rosenstock, K., see Hinckel, P. 259

Schwarz, G., Leisner, E., Pette, D.
Two telestimulation systems for chronic indirect muscle stimulation in caged rabbits and mice 130

Schwarz, J. R., Bromm, B., Spielmann, R. P., Weytjens, J. L. F.
Development of Na inactivation in motor and sensory myelinated nerve fibres of *Rana esculenta* 126

Sedlmeir, C., see Galvan, M. 78

Selyanko, A. A., see Skok, V. I., et al. 169

Shilo, R., see Brezis, M., et al. 247

Siegenbeek van Heukelom, J., see Albus, H., et al. 1, 10

Simon, E., see Inomoto, T., et al. 142

Sjöholm, H., see Hultman, E., et al. 139

Skok, V. I., Selyanko, A. A., Derkach, V. A.
Channel-blocking activity is a possible mechanism for a selective ganglionic blockade 169

Sokoloff, L., see Kuschinsky, W., et al. 134

Spielmann, R. P., see Schwarz, J. R., et al. 126

Srivastava, U. C., see Pompeiano, O., et al. 298

Stampacchia, G., see Pompeiano, O., et al. 298

Stark, R. J., see O'Doherty, J., et al. 241

Stephenson, D. G., see Wendt, I. R. 210

Sterz, R., Pagala, M., Peper, K.
Postjunctional characteristics of the endplates in mammalian fast and slow muscles 48

Stoye-Herzog, M., see Schmidtmayer, J., et al. 204

Strevey, J., see Believeau, R., et al. 227

Suda, S., see Kuschinsky, W., et al. 134

Szabó, I., see Pfliegler, G., et al. 236

Takács, L., see Bencsáth, P., et al. 60

Takaki, M., Neya, T., Nakayama, S.
Role and localization of a region in the pons which has a descending inhibitory influence on sympathetically mediated inhibition of the recto-rectal reflex of guinea pigs 120

Trautwein, W., see Brum, G., et al. 147

Trautwein, W., see Cavalié, A., et al. 284

Trayhurn, P.
Decreased capacity for non-shivering thermogenesis during lactation in mice 264

Trinh-Trang-Tan, M. M., see Eloy, L., et al. 253

Trotz, M., see Gercken, G. 69

Tsyrlin, V. A., Bravkov, M. F., Bershadsky, B. G.
Possible mechanisms underlying the pressure responses evoked in conscious cats by emotional stress 81

Tung, L., Morad, M.
Voltage- and frequency-dependent block of diltiazem on the slow inward current and generation of tension in frog ventricular muscle 189

Ulbricht, W., see Schmidtmayer, J., et al. 204

Van Driessche, W., Erlij, D.
Noise analysis of inward and outward Na^+ currents across the apical border of ouabain-treated frog skin 179

Versprille, A., see Neef, K. J. de, et al. 73

Waelbroeck, M., see Robberecht, P., et al. 217

Wahl, M., see Whalley, E. T. 175

Wald, H., see Brezis, M., et al. 247

Weiss, G. B., see Karaki, H., et al. 27

Wendt, I. R., Stephenson, D. G.
Effects of caffeine on Ca-activated force production in skinned cardiac and skeletal muscle fibres of the rat 210

Weytjens, J. L. F., see Schwarz, J. R., et al. 126

Whalley, E. T., Wahl, M.
The effect of kinase II inhibitors on the response of feline cerebral arteries to bradykinin and angiotensin 175

Wise, M. E., see Neef, K. J. de, et al. 73

Yaffee, S., see Kuschinsky, W., et al. 134

Zdanowski, K., see Pytkowski, B., et al. 103

Indexed in Current Contents